



A service of the National Library of Medicine
and the National Institutes of Health

My [Si]

All DatabasesPubMedNucleotideProteinGenomeStructureOMIMPMCJournals

Search PubMed for NEUREXOPHILIN Go Clear Si

Limits Preview/Index History Clipboard Details
Display Summary Show 20 Sort by Send to

All: 38 Review: 4

Items 1 - 20 of 38

Page 1 of 2 Next

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorials

New/Noteworthy
E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

☐ **1:** Chih B, Gollan L, Scheiffele P.

Related Articles, Links



Alternative splicing controls selective trans-synaptic interactions of the neuroligin-neurexin complex.

Neuron. 2006 Jul 20;51(2):171-8.

PMID: 16846852 [PubMed - indexed for MEDLINE]

☐ **2:** Zeng Z, Sharpe CR, Simons JP, Gorecki DC.

Related Articles, Links



The expression and alternative splicing of alpha-neurexins during Xenopus development.

Int J Dev Biol. 2006;50(1):39-46.

PMID: 16323076 [PubMed - indexed for MEDLINE]

☐ **3:** Boucard AA, Chubykin AA, Comoletti D, Taylor P, Sudhof TC.

Related Articles, Links



A splice code for trans-synaptic cell adhesion mediated by binding of neuroligin 1 to alpha- and beta-neurexins.

Neuron. 2005 Oct 20;48(2):229-36.

PMID: 16242404 [PubMed - indexed for MEDLINE]

☐ **4:** Beglopoulos V, Montag-Sallaz M, Rohlmann A, Piechotta K, Ahmad M, Montag D, Missler M.

Related Articles, Links



Neurexophilin 3 is highly localized in cortical and cerebellar regions and is functionally important for sensorimotor gating and motor coordination.

Mol Cell Biol. 2005 Aug;25(16):7278-88.

PMID: 16055736 [PubMed - indexed for MEDLINE]

☐ **5:** Zhang W, Rohlmann A, Sargsyan V, Aramuni G, Hammer RE, Sudhof TC, Missler M.

Related Articles, Links



Extracellular domains of alpha-neurexins participate in regulating synaptic transmission by selectively affecting N- and P/Q-type Ca²⁺ channels.









J Neurosci. 2005 Apr 27;25(17):4330-42.

PMID: 15858059 [PubMed - indexed for MEDLINE]

☐ **6:** Mungenast AE, Ojeda SR.

Related Articles, Links

Expression of three gene families encoding cell-cell

-  communication molecules in the prepubertal nonhuman primate hypothalamus.
J Neuroendocrinol. 2005 Apr;17(4):208-19.
PMID: 15842232 [PubMed - indexed for MEDLINE]
- ☐ **7:** [Zhou H, Xu Y, Yang Y, Huang A, Wu J, Shi Y.](#) [Related Articles](#), [Links](#)
-  Solution structure of AF-6 PDZ domain and its interaction with the C-terminal peptides from Neurexin and Bcr.
J Biol Chem. 2005 Apr 8;280(14):13841-7. Epub 2005 Jan 31.
PMID: 15684424 [PubMed - indexed for MEDLINE]
- ☐ **8:** [Liu YY, Brent GA.](#) [Related Articles](#), [Links](#)
-  Thyroid hormone-dependent gene expression in differentiated embryonic stem cells and embryonal carcinoma cells: identification of novel thyroid hormone target genes by deoxyribonucleic acid microarray analysis.
Endocrinology. 2005 Feb;146(2):776-83. Epub 2004 Nov 18.
PMID: 15550503 [PubMed - indexed for MEDLINE]
- ☐ **9:** [Hlubek M, Tian D, Stuenkel EL.](#) [Related Articles](#), [Links](#)
-  Mechanism of alpha-latrotoxin action at nerve endings of neurohypophysis.
Brain Res. 2003 Nov 28;992(1):30-42.
PMID: 14604770 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Missler M, Zhang W, Rohlmann A, Kattenstroth G, Hammer RE, Gottmann K, Sudhof TC.](#) [Related Articles](#), [Links](#)
-  Alpha-neurexins couple Ca²⁺ channels to synaptic vesicle exocytosis.
Nature. 2003 Jun 26;423(6943):939-48.
PMID: 12827191 [PubMed - indexed for MEDLINE]
- ☐ **11:** [Genova JL, Fehon RG.](#) [Related Articles](#), [Links](#)
-  Neuroglian, Gliotactin, and the Na⁺/K⁺ ATPase are essential for septate junction function in Drosophila.
J Cell Biol. 2003 Jun 9;161(5):979-89. Epub 2003 Jun 2.
PMID: 12782686 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Wang Y, Lu LX.](#) [Related Articles](#), [Links](#)
-  [Molecular mechanism of exocytosis in chemical synaptic transmission]
Sheng Li Ke Xue Jin Zhan. 2000 Jul;31(3):283-8. Review. Chinese. No abstract available.
PMID: 12545724 [PubMed - indexed for MEDLINE]
- ☐ **13:** [Clarris HJ, McKeown S, Key B.](#) [Related Articles](#), [Links](#)
-  Expression of neurexin ligands, the neuroligins and the neurexophilins, in the developing and adult rodent olfactory bulb.
Int J Dev Biol. 2002;46(4):649-52.

PMID: 12141453 [PubMed - indexed for MEDLINE]

- ☐ **14:** [Krasnoperov V, Bittner MA, Mo W, Buryanovsky L, Neubert TA, Holz RW, Ichtchenko K, Petrenko AG.](#) Related Articles, Links



Protein-tyrosine phosphatase-sigma is a novel member of the functional family of alpha-latrotoxin receptors.

J Biol Chem. 2002 Sep 27;277(39):35887-95. Epub 2002 Jul 10.

PMID: 12110683 [PubMed - indexed for MEDLINE]

- ☐ **15:** [Tobaben S, Sudhof TC, Stahl B.](#) Related Articles, Links



Genetic analysis of alpha-latrotoxin receptors reveals functional interdependence of CIRL/latrophilin 1 and neurexin 1 alpha.

J Biol Chem. 2002 Feb 22;277(8):6359-65. Epub 2001 Dec 6.

PMID: 11741895 [PubMed - indexed for MEDLINE]

- ☐ **16:** [Combs SE, Ernsberger U, Krieglstein K, Unsicker K.](#) Related Articles, Links



Reduction of endogenous TGF-beta does not affect phenotypic development of sympathoadrenal progenitors into adrenal chromaffin cells.

Mech Dev. 2001 Dec;109(2):295-302.

PMID: 11731241 [PubMed - indexed for MEDLINE]

- ☐ **17:** [Patzke H, Reissmann E, Stanke M, Bixby JL, Ernsberger U.](#) Related Articles, Links



BMP growth factors and Phox2 transcription factors can induce synaptotagmin I and neurexin I during sympathetic neuron development.

Mech Dev. 2001 Oct;108(1-2):149-59.

PMID: 11578868 [PubMed - indexed for MEDLINE]

- ☐ **18:** [Sugita S, Saito F, Tang J, Satz J, Campbell K, Sudhof TC.](#) Related Articles, Links



A stoichiometric complex of neurexins and dystroglycan in brain.

J Cell Biol. 2001 Jul 23;154(2):435-45.

PMID: 11470830 [PubMed - indexed for MEDLINE]

- ☐ **19:** [Fukuda M, Mikoshiba K.](#) Related Articles, Links



Synaptotagmin-like protein 1-3: a novel family of C-terminal-type tandem C2 proteins.

Biochem Biophys Res Commun. 2001 Mar;281(5):1226-33.

PMID: 11243866 [PubMed - indexed for MEDLINE]

- ☐ **20:** [Fukuda M, Mikoshiba K.](#) Related Articles, Links



Characterization of KIAA1427 protein as an atypical synaptotagmin (Syt XIII).

Biochem J. 2001 Mar 1;354(Pt 2):249-57.

PMID: 11171101 [PubMed - indexed for MEDLINE]

Display Show Sort by Send to

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Aug 14 2006 08:07:58